



Cross Reference Guide

Customer Support

Customer Support

Our Customer Support team is available to answer questions or provide any assistance you may need.

717.656.4281, help@pdqlocks.com

Monday through Friday – 8 am to 5 pm EST.

Placing Orders

To place orders, email:

orders@pdqlocks.com

Product and Technical Support

PDQ Mechanical: 800.441.9692, support@pdqlocks.com

Quotation and Product Cross Reference

quotes@pdqlocks.com, 717.656.4281

Value Engineering Services (Complimentary)

quotes@pdqlocks.com, 717.656.4281

Specification Writing Services (Complimentary)

quotes@pdqlocks.com, 717.656.4281

World Headquarters Administrative Office U.S. Manufacturing Center

PDQ Manufacturing
2230 Embassy Drive
Lancaster, PA 17603 USA

Remittances


PDQ Manufacturing
P.O. Box 6426
Lancaster, PA 17607 USA

Regional Distribution Centers

Lancaster, PA, Norcross, GA, Auburn, WA

International Design, Sales and Distribution Centers

Dammam, Saudi Arabia



Cross Reference Table of Contents

Mortise Locks

MR Series Grade 1 Mortise 2

MJ Mortise Cylinder Deadbolt 3

Cylindrical Locks Grade 1

XGT Series Grade 1 Cylindrical 4

GT Series Grade 1 Cylindrical 5

Cylindrical Locks Grade 2

GP Series Grade 2 Cylindrical 6

SD Series Grade 2 Cylindrical 7

SF Series Grade 2 Cylindrical 8

CL Series Inter-Connected Grade 2 8

Wide Stile Architectural Exit Device

6300 Series Grade 1 9

Wide Stile Commercial Exit Device

4200 Series 10

Door Closers

7100 Series – Institutional Grade 1 Closer 11

5100 Series – Commercial Grade 1 Closer 11

5300/5500 Series – Commercial Grade 1 Closer 11

3100 Series – Light Commercial Grade 1 Closer 11

Hinges

Commercial Hinges 12

Sliding Barn Door Hardware

STS Series Sliding Barn Door Hardware 13

MR SERIES

Grade 1 Mortise



**ASSEMBLED
IN THE USA**

Typical Applications

- Senior Living
- Government Facilities
- Healthcare
- Hospitality
- Houses of Worship
- Industrial
- Multi-family
- Offices
- Public Buildings
- Retail
- Higher Education
- K-12 Education

Situations

- High Traffic
- High Abuse

Cross Reference

ANSI #	PDQ FUNCTION	ARROW	BEST	CORBIN	DORMA	FALCON	MARKS	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
	MR205	BM/AM09	N/A	ML2070	M9002	MA18	DT	8296	L0172	836B
DUMMY 1 SIDE	MR211	BM/AM08	45H1DT	ML2050	M9001	MA12	DI/DO	8295	L0170	AU865
DUMMY 2 SIDES	MR207	N/A	45H2DT	ML2090	M9004	N/A	N/A	8297	L9110	8870DT
DUMMY 1 SIDE	MR212	N/A	N/A	N/A	M9003	N/A	N/A	N/A	L9175	N/A
DUMMY 2 SIDES	MR206	N/A	N/A	N/A	M9004	N/A	N/A	N/A	L9176	N/A
F01	MR126	BM/AM01	45HN	ML2010	M9010	MA101	5N	8215	L9010	8801
F22	MR176	BM/AM26	45HLT	ML2060	M9040	MA321	5LJ	8265	L9040	8862
F04	MR116	BM/AM22	45HA	ML2051	M9050	MA521	5E	8205	L9050	8807
F09	MR186	BM/AM32	45HC	ML2042	M9060	MA381	5G	8216	L9060	8817-2
F05	MR148	BM/AM17	45HR	ML2055	M9070	MA561	5J	8237	L9070	8808
F06	MR113	N/A	45HR/HB	ML2056	M9076	MA551	5JM/JR	8289	L9076	8824
F07	MR115	BM/AM12	45HD	ML2057	M9080	MA581	5EW	8204	L9080	8805
	MR199A	177/179	45HWDEL	ML20906	M9080EL	MA851	5EL	8270	L9092EL	8890
	MR199A	181/183	45HWDEU	ML20914	M9080EU	MA881	5EU	8271	L9092EU	8891
	MR199A W/REX	N/A	45HWDELRQE	ML20906 M92	M9080ELRX	MA851RX	5EL REX	8270 RX	L9092EL RX	8890 REX
	MR199A W/REX	N/A	45HWDEURQE	ML20914 M92	M9080ELRX	MA881RX	5EU REX	8271 RX	L9092EU RX	8891 REX
F30	MR138	BM/AM33	45HW	ML2032	M9082	MA411	5WW	8217	L9082	8830-2
F19	MR179	BM/AM02	45HL	ML2030	M9940	MA311	5LF	8266	L9440	8802
F20	MR162	BM/AM20	45HAB	ML2067	M9953	MA531	5FD	8243	L9453	8847
F13	MR136	BM/AM19	45HT	ML2065	M9956	MA571	5FW	8225	L9456	8822
F11	MR158	N/A	N/A	ML2082	M9957	N/A	5FA	N/A	N/A	N/A
F17	MR132	BM41	45HAD	ML2013	M9960	MA941	5P	8221	L9460	8815
F18	MR131	BM40	45HYD	ML2011	M9961	MA921	5S	8220	L9464	8814
F16	MR133	BM42	45HWD	ML2012	M9962	MA931	5T	8222	L9462	8814-2
F29	MR134	BM44	45HRD	ML2017	M9963	MA911	5SC	8203	L9463	8813ST
F14	MR137	BM/A/31	45HG	ML2022	M9966	MA371	5C	8226	L9466	8860-2
F34	MR157	N/A	45HINA	N/A	M9967	MA431	5FC	8240	L9458	8812-2
F33	MR159	N/A	45HIND	ML2062	M9968	N/A	5FX	8239	L9457	8811-2
F21	MR135	BM/AM13	45HB	ML2024	M9973	MA541	5B	8224	L9473	8860
F02	MR178	N/A	N/A	ML2020	N/A	MA301	5L	8268	N/A	N/A
	MR200	N/A	45HWEL	ML20932	M9082EL	N/A	N/A	8272	L9095EL	8894-2
	MR200	N/A	45HWEU	N/A	M9082EU	N/A	N/A	8273	L9095EU	8895-2

Lever/Knob Comparison

	PDQ	ARROW	BEST	CORBIN	DORMA	FALCON	MARKS	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
LEVER	PHILADELPHIA	X	15	NS NEWPORT	LR	D DANE	AMERICAN LEVER 92	L	06 RHODES	AU AUGUSTA
	BOSTON	BR	14	PS PRINCETON	LC	Q QUANTUM	CRESCENT LEVER 86	P	17SPARTA	PB PACIFIC BEACH
	CHICAGO	N	12	R REGIS	LIIQ	BROADWAY	OMNI 78	W	02	PINEHURST PNR
	DALLAS	HS	3	L LUSTRA	LT	S SUTRO	PLAZA LEVER 82	J	03TUBULAR	CR CARMEL
	MIAMI	V	16	AS ARMSTONG	LG	A AVALON	TITAN LEVER 96	B	07ATHENS	MO MONROE
	MEMPHIS	N/A	17	DS DIRKE	LD	N/A	DAYTON 83	A	12	AR ARCADIA
	ORLANDO	N/A	N/A	N/A	N/A	LATITUDE	N/A	N/A	LATITUDE	N/A
	LOS ANGELES		R	F	KB	LONGITUDE		N/A	LONGITUDE	TC
KNOB	KNOB	B	4	GW GLOBAL	KB	R	ROUND KNOB 10	C	U2	CO COPENHAGEN

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

Typical Applications

- Auxiliary Doors
- Closets/Equipment Rooms
- Common Areas
- Restrooms
- K-12 Education
- Higher Education
- Commercial/Institutional/Military

Situations

- High Abuse
- Match MR Mortise Lock Aesthetics

Cross Reference*

ANSI	PDQ FUNCTION	BEST	CORBIN	DORMA	MARKS #31/32/33 SERIES	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
F18	MJ131	48H L	DL4111	D961	L	4876	L464	353
F17	MJ132	48H K	DL4113	D960	K	4875	L460	352
F16	MJ133	48H M	DL4112	D962	M	4874	L462	351
F29	MJ134LH	48H R	DL4117	D963	S	4877	L463	357
	MJ134LH							

*Note: Functions are equal, but form may differ.

XGT SERIES

Grade 1 Extra Heavy Duty Cylindrical Lock



**ASSEMBLED
IN THE USA**

Typical Applications

- Federal and State Government
- Healthcare
- Higher Education
- Hospitality
- Houses of Worship
- Industrial
- K-12 Education
- Offices
- Public Buildings

Situations


- High Traffic
- High Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	SARGENT	CORBIN
F75 – PASSAGE	XGT 126	11U15	CL3110
F76 – PRIVACY	XGT 176	11U65	CL3120
F82 – ENTRY	XGT 182	11G24	CL3161
F84 – CLASSROOM	XGT 148	11G37	CL3155
F86 – STORE ROOM	XGT 115	11G04	CL3157
F90 – CORRIDOR	XGT 165	11G54	CL3175
F110 – INTRUDER CLASSROOM	XGT 135	11G38	CL3152
F110 – INTRUDER CLASSROOM W/LED INDICATOR	XGT 135 LED PDQ Exclusive - Patent #9,187,928	N/A	N/A

Lever Comparison


PDQ	SARGENT	CORBIN
PHL – PHILADELPHIA	L Lever	NZD
BSN – BOSTON	P Lever	PZD
MIA – MIAMI	B Lever	AZD



PHILADELPHIA (PHL) LEVER



BOSTON (BSN) LEVER



MIAMI (MIA) LEVER

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

GT SERIES

Grade 1 Heavy Duty Cylindrical Lock



**ASSEMBLED
IN THE USA**

Typical Applications

- Federal and State Government
- Healthcare
- Higher Education
- Hospitality
- Houses of Worship
- Industrial
- K-12 Education
- Offices
- Public Buildings

Situations


- High Traffic
- High Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	BEST	CORBIN	DORMA	FALCON	HAGER	MARKS 95 SERIES	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
F75 PASSAGE	GT 126	9KxxN	CL3310	C110	T101	3410	N	10U15	ND10	5401LN
F76 PRIVACY	GT 176	9KxxL	CL3320	C140	T301	3440	L	10U65	ND40	5402LN
F82 ENTRY	GT 182	9KxxUA	CL3361	C150	T501	3450	B	10G24	ND50	5404LN
F109 ENTRANCE	GT 116	9KxxAB	CL3351	C153	T511	3453	AB	10G05	ND53	5407LN
F84 CLASSROOM	GT 148	9KxxR	CL3355	C170	T561	3470	S	10G37	ND70	5408LN
F86 STORE ROOM	GT 115	9KxxD	CL3357	C180	T581	3480	F	10G04	ND80	5405LN
F90 CORRIDOR	GT 165	9KxxT	CL3375	C173	T571	3473	T	10G54	ND73	5422LN
F110 INTRUDER CLASSROOM	GT 135	9KxxLN	CL3352	C177	T381	3495	DB	10G38	ND95	5418LN
F110 INTRUDER CLASSROOM W/LED INDICATOR	GT 135 LED PDQ Exclusive - Patent #9,187,928	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
SINGLE DUMMY	GT 211	9Kxx1DT	CL3350	C101	T12	3417	DO	10U93	ND170	5455LN

Lever Comparison


PDQ	BEST	CORBIN	DORMA	FALCON	HAGER	MARKS	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
PHL – PHILADELPHIA	15	NZD	LR	DAN	WTN	195	L Lever	RHO	AU
BSN – BOSTON	14	PZD	LC	QUA	ARC	295	P Lever	SPA	PB
MIA – MIAMI	16	AZD	LG	AVA	AUG	495	B Lever	ATH	MO



PHILADELPHIA (PHL) LEVER



BOSTON (BSN) LEVER



MIAMI (MIA) LEVER

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.





**ASSEMBLED
IN THE USA**

Typical Applications

- Government Facilities
- Healthcare
- Higher Education
- Hospitality
- Houses of Worship
- Industrial
- K-12 Education
- Multi-family
- Offices
- Public Buildings

Situations


- Moderate Traffic
- Moderate Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	ARROW	BEST	CORBIN	DORMA ARCHITECTURAL	FALCON	HAGER	DORMA COMMERCIAL	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
F75 PASSAGE	GP 126	MLx01	7KC N	CL3810	C210	B101	3510	QCL230	7U15	ALx10	5301LN
F76 PRIVACY	GP 176	MLx72	7KC L	CL3820	C240	B301	3540	QCL240	7U65	ALx40	5303LN
F82 ENTRY	GP 182	NA	N/A	CL3861	C250	B501	3550	NA	NA	ALx50	5302LN
F109 ENTRANCE	GP 116	MLx81	7KC AB	CL3851	C253	B511	3553	QCL250	7G05	ALx53	5307LN
F84 CLASSROOM	GP 148	MLx87	7KC R	CL3855	C270	B561	3570	QCL260	7G37	ALx70	5308LN
F86 STORE ROOM	GP 115	MLx82	7KC D	CL3857	C280	B581	3580	QCL270	7G04	ALx80	5305LN
SINGLE DUMMY	GP 211	MLx08	7KC IDT	CL3850	C201	B12	3517	QCL220	7U93	ALx170	5355LN

Lever Comparison


PDQ	ARROW	BEST	CORBIN	DORMA	FALCON	HAGER	DORMA COMMERCIAL	SARGENT	SCHLAGE	ACCENTRA (FMR. YALE)
MIA – MIAMI	N/A	16	AZD	LG	NA	AUG	A	B	ATH	MO
PHL – PHILADELPHIA	SR	15	NZD	LR	DAN	WTN	E	L	RHO	AU
BSN – BOSTON	N/A	14	PZD	LC	QUA	ARC	M	P	SPA	PB



PHILADELPHIA (PHL) LEVER



BOSTON (BSN) LEVER



MIAMI (MIA) LEVER

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

SD SERIES

Grade 2 Standard Duty Cylindrical Lock

Typical Applications

- Senior Living
- Hospitality
- Houses of Worship
- Industrial
- Medium/Light Commercial Installations
- Multi-family
- Offices

Situations


- Moderate Traffic
- Moderate Abuse

Cross Reference


ANSI # / FUNCTION	PDQ	ARROW	DORMA ARCHITECTURAL	FALCON	HAGER	SARGENT	ACCENTRA (FMR. YALE)
F75 PASSAGE	SD 126	RL01	C510	W101	2510	65U15	4601LN
F76 PRIVACY	SD 176	RL02	C540	W301	2540	65U65	4602LN
F109 ENTRANCE	SD 116	RL11	C553	W511	2553	65G05	4607LN
F84 CLASSROOM	SD 148	RL17	C570	W561	2570	65G37	4608LN
F86 STORE ROOM	SD 115	RL12	C580	W581	2580	65G04	4605LN
SINGLE DUMMY	SD 211	RL08	C501	W12	2517	65U93	4655LN

Lever Comparison


PDQ	ARROW	DORMA ARCHITECTURAL	FALCON	HAGER	SARGENT	ACCENTRA (FMR. YALE)
MIA – MIAMI	N/A	LG	AVA	N/A	B	MO
PHL – PHILADELPHIA	SR	LR	DAN	WTN	L	AU
BSN – BOSTON	BRR	LC	QUA	ARC	P	PB
MEM – MEMPHIS	N/A	N/A	N/A	N/A	N/A	N/A




PHILADELPHIA (PHL)




BOSTON (BSN)



MIAMI (MIA)



MEMPHIS (MEM)
(SPECIFY HANDING)



ORLANDO (ORL)

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

SF SERIES

Grade 2 Standard Duty Cylindrical Lock

Typical Applications

- Multi-Family
- Student Housing
- Senior Living
- Light Commercial

Situations

- Bathrooms
- Bedrooms
- Storage closets

Cross Reference

ANSI # / FUNCTION	PDQ	DORMA ARCHITECTURAL	FALCON	ACCENTRA (FMR. YALE)	SCHLAGE
F75 PASSAGE	SF126	C310	W101	YH11	S10
F76 PRIVACY	SF176	C340	W301	YH21	S40
F109 ENTRANCE	SF116	C353	W511	YH71	S51
SINGLE DUMMY	SF211	C301	W12	YH81	S170

CL SERIES

Grade 2 Standard Duty Inter-Connected Lock

Typical Applications

- Senior Living
- Multi-family
- Hospitality
- Offices
- Military Housing
- Retail

Situations

- Moderate Traffic
- Moderate Abuse

Cross Reference

ANSI NUMBER / FUNCTION	PDQ	DORMA ARCHITECTURAL	FALCON	HAGER	SCHLAGE®	DORMA COMMERCIAL
95 / ENTRY, SINGLE CYLINDER	CL 126	J310	—	3710	S210	QCI230
97 / ENTRY, DOUBLE CYLINDER	CL 116	J353	H2101	3753	S251	QCI250
98 / STOREROOM, DOUBLE CYLINDER	CL 115	—	—	—	S280	—
PRIVACY W/INDICATOR, NO CYLINDER	CL 176	J346	H2171	3796	—	—

Information on this sheet is compiled from public documents and third parties. As a result, PDQ makes no guarantees as to their accuracy, content, quality or availability. Comparisons were made using the technical features only and are not commercial comparisons. Final suitability should be determined by a professional hardware consultant.

6300/6400 SERIES

Exit Devices

Typical Applications

- Commercial
- Government Facilities
- Healthcare
- Industrial
- K-12 Education
- Higher Education

Situations

- High to Medium Traffic

6300 Wide Stile Cross Reference

MANUFACTURER	EXIT DEVICE SERIES/TYPE							
	RIM	RIM FIRE	VERTICAL ROD	VERTICAL ROD FIRE	CONCEALED VERTICAL ROD	CONCEALED VERTICAL ROD FIRE	MORTISE	MORTISE FIRE
PDQ	6300R	6300RF	6300V	6300VF	6300C	6300CF	6300M	6300MF
CORBIN	ED5200	ED5200A	ED5400	ED5400A	ED5860	ED5860B	ED5600	ED5600A
DORMA	9300	F9300	9400	F9400	9100	F9100	9500	F9500
FALCON	25-R	F-25-R	25-V	F-25-V	25-C	F-25-C	25-M	F-25-M
HAGER	4501 RIM	4501 RIM FR	4501 SVR	4501 SVR FR	4500 CVR	4500 CVR FR	4500 MRT	4500 MRT
SARGENT®	8800	12-8800	8700	12-8700	8600	12-8600	8900	12-8900
VON DUPRIN	98/99	98/99-F	98/9927	98/9927-F	98/9947	98/9947-F	98/9975	98/9975-F
ACCENTRA (FMR. YALE)	7100	7100F	7110	7110F	7160	7160F	7130	7130F

6400 Narrow Stile Cross Reference

MANUFACTURER	EXIT DEVICE SERIES/TYPE					
	RIM	RIM FIRE	VERTICAL ROD	VERTICAL ROD FIRE	CONCEALED VERTICAL ROD	CONCEALED VERTICAL ROD FIRE
PDQ	6400R	6400RF	6400V	6400VF	6400C	6400CF
CORBIN	ED4200	ED4200MA	ED4400	ED4400MA	ED4800	ED4800MA
DORMA	9700	F9700	9800	F9800	9600	F9600
FALCON	24-R	F-24-R	24-V	F-24-V	24-C	F-24-C
HAGER	4601 RIM	4601 RIM FR	4601 SVR	4601 SVR FR	4601 CVR	4601 CVR FR
SARGENT®	8500	12-8500	N/A	N/A	8400	12-8400
VON DUPRIN	33A/35A	33A/35A-F	3327A/3527A	3327A/3527A-F	3347A/3547A	3347A/3547A-F
ACCENTRA (FMR. YALE)	7200	7200F	7210	7210F	7220	7220F

4200 SERIES

Exit Devices

Typical Applications

- Commercial
- Offices
- Retail

Situations

- Medium to Low Traffic

Cross Reference

DESCRIPTION	PDQ	CAL ROYAL	CORBIN/ RUSSWIN	DORMA	FALCON	HAGER	PRECISION	SARGENT	S PARKER	TELL	VON DUPRIN	ACCENTRA (FMR. YALE)
RIM	4200R	2200	ED8200	8300	19 R	4700 Rim	5100	2828	UL520	8300	22	2100
SURFACE VERTICAL ROD	4200V	2260	ED8400	8400	19 V	4700 SVR	5200	2727	520V	8400	2227	2110

Door Closers

Typical Applications

- Senior Living
- Higher Education
- High Use/High Abuse Situations
- K-12 Education
- Military and Government
- Multi-family
- Offices
- Public Buildings

Cross Reference

MANUFACTURER	CLOSER SERIES				
GRADE	INSTITUTIONAL	COMMERCIAL	COMMERCIAL	COMMERCIAL	LIGHT COMMERCIAL
PDQ	7100	5500	5300	5100	3100
CAL ROYAL	CR441	CR801	CR801S	900	300
CORBIN/RUSSWIN®	DC8000	DC6200	DC3200	N/A	N/A
DORMA	8900	8616FC	8616	7414/7436	3800
FALCON®	SC70	SC80FC	SC80	N/A	SC60
HAGER	5100	5200	5200	N/A	5300 LESS COVER
DORMA COMMERCIAL	QDC100	QDC200F	QDC200S	N/A	QDC300
LCN®	4000	1450	1450	N/A	1250
NORTON®	7500	8500	8300	160	1600
SARGENT®	281	350	1430	1130/1131	1130
ACCENTRA (FMR. YALE)	5800/4400	3500	3300	51	50

Commercial Hinges

Cross Reference

HINGE DESCRIPTION	PDQ	ANSI	IVES	HAGER	MCKINNEY	PBB	BEST (FMR. STANLEY)
Plain Bearing, Standard Weight – Steel	35STPL	A8133	5PB1	1279	T2714	PB81	F179
				EC1100	MP79		
2 Ball Bearing, Standard Weight – Steel	35STBB	A8112	5BB1	BB1279	TA2714	BB81	FBB179
				ECBB1100	MPB79		
2 Ball Bearing, Standard Weight – Stainless Steel	35SSBB	A5112	5BB1	BB1191	TA2314	BB51	FBB191
				(630/32D)	(630/32D)		
4 Ball Bearing, Heavy Weight – Steel	35STHB	A8111	5BB1 HW	BB1168	T4A3786	4B81	FBB168
				ECBB1102	MPB68		
4 Ball Bearing, Heavy Weight – Stainless Steel	35SSHB	A5111	5BB1 HW	BB1199	T4A3386	4B51	FBB199
				ECBB1103	MPB68		
Spring Hinge, Self Closing – Steel	35STSH	K8107-1F	3SP1	1250	1502	SP81	2060R
				EC1105	MPS60		

Typical Applications

- Hospitality
- Light Commercial
- Multi-family

Cross Reference

PDQ	HAFELE	HAGER	PEMKO
STS SERIES	FLATEC II SERIES	9432 SERIES	W60 SERIES
STS WITH SOFT CLOSE	N/A	N/A	W60 WITH CUSHION STOP



SECURING
CONFIDENCE
OPENING
POSSIBILITIES

Phone: 717.656.4281

Tech Support: 800.441.9692

Email: help@pdqlocks.com

Headquarters: 2230 Embassy Drive, Lancaster, PA
17603 P.O Box 6426, Lancaster, PA 17607

Regional Distribution Centers: Lancaster, PA | Norcross,
GA | Auburn, WA

Middle East Manufacturing: Dammam, Kingdom of
Saudi Arabia

Printed in the U.S.A.

LT9039-5-2024

© 2025 PDQ Industries

pdqlocks.com