



powered by **vizpin**

BROCHURE

Table of Contents

3	VIZpin Service
4	KMS Heavy Duty Deadbolt
5	How to Order
6	CLS Interconnected Lock
7	How to Order
8	GTS Grade 1 Cylindrical Lock
9	How to Order
10	MRS Mortise Lock
11	How to Order
12	6WS Exit Device Trim
13	How to Order
14	Entegrity Smart Door/Gate Controller
15	Entegrity Smart Video Intercom

VIZpin Lite

The Lite service is included free with the purchase of a device. You're entitled to 5 smartkeys and a one-year limited electronics warranty.

VIZpin Plus

The Plus service is a subscription-based feature set which expands the functionality of the locks and property. After upgrading to Plus, the account will receive 500 smartkeys to use on any lock or reader. Administrators will have access to scheduling and role-based grouping of access as well as the first-in feature. A 30-day activity history becomes available and can be exported. The free-replacement warranty will be extended for the life of the subscription. VIZpin maintains the database infrastructure and security of the network communication. There may be periodic updates of the application and/or device firmware as necessary. Subscriptions are billed in one-year or three-year increments.

Features	Lite (Free)	Plus
Remotely grant or revoke user access from anywhere	X	X
Manage door strikes, mag locks, gates & garages	X	X
Set to stay unlocked during working hours (First-In)*	X	X
Works with Smart Fobs**	X	X
Unlimited users	X	X
Unlimited user roles	X	X
30 day activity history		X
Custom Schedules		X
Electronics Warranty	1 Year	Life of Service
Included Smartkeys***	5	500

*Requires an unlocking device rated for continuous duty
 **Total amount of Fobs must be less than 20% of total account users
 (Max 32 Fobs per Smart Lock/ Max 512 Fobs per Door/Gate Controller)
 ***Additional Smartkeys can be purchased at any time



BLUETOOTH ACCESS CONTROL



PHONE



FOB



KEY

Features

- Built from PDQ's KM Series Heavy Duty Deadbolt
- Designed for quick installation; Fits standard 161 door prep
- Built in Bluetooth 4.0 connects to your Bluetooth enabled smart phone or tablet
- Equipped with multi-layer door to cloud data security utilizing AES-128 bit encryption
- Locking function can be changed by an authorized credential holder
- Key override optional
- Key Systems: Compatible with BEST[®], Schlage[®] and most other major manufacturers

Architectural Finishes



613 (US10B)
Oil Rubbed Bronze



622 (US19)
Flat Black



626 (US26D)
Satin Chromium



EXTERIOR VIEW




INTERIOR VIEW

Cylinders



Function

FUNCTION	FUNCTION NUMBER	OUTSIDE INSIDE	DESCRIPTION
Single Cylinder	116		• Lock or unlock by key from outside, by thumb turn from inside

How to Order

QTY	SERIES	FAMILY	FUNCTION	Handing	FINISH	BACKSET	CYLINDER	KEYWAY	KEYING
	KMS	VZ	116	RH*	626	ADJ	D	SCC	KD
				RHR	613	234 - 2-3/4"	See Cylinders	See Keyways	KD - Keyed Different KO - Zero Bitted KA - Keyed Alike KE - Keyed to Existing MK - Master Key CMK - Construction Master Key
				LH	622	238 - 2-3/8"			
				LHR		ADJ - Adjustable 2-3/4"-2-3/8"			
						ADJR - Adjustable 2-3/4"-2-3/8" Radius			

*Handed but field reversible.

VIZPIN SERVICE	PAGE 3
DOOR/GATE CONTROLLER	PAGE 14
VIDEO INTERCOM	PAGE 15

BLUETOOTH ACCESS CONTROL



PHONE



FOB




KEY

Features

- Built from PDQ's CL Series Interconnected Lock
- Designed for quick installation; 4" and 5-1/2" center to center options
- Built in Bluetooth 4.0 connects to your Bluetooth enabled smart phone or tablet
- Equipped with multi-layer door to cloud data security utilizing AES-128 bit encryption
- Locking function can be changed by an authorized credential holder
- Key override optional
- Key Systems: Compatible with BEST®, Schlage® and most other major manufacturers

Architectural Finishes



613 (US10B)
Oil Rubbed Bronze

622 (US19)
Flat Black

626 (US26D)
Satin Chromium

Levers



PHILADELPHIA – PHL



BOSTON – BSN



MIAMI – MIA



ORLANDO – ORL




EXTERIOR VIEW

Cylinders



Function

FUNCTION	FUNCTION NUMBER	OUTSIDE INSIDE	DESCRIPTION
Single Cylinder	126		• Lock or unlock by key from outside, by thumb turn from inside




How to Order

QTY	SERIES	FAMILY	FUNCTION	LEVER	FINISH	HANDING	BACKSET	STRIKE	CYLINDER	KEYWAY	KEYING
	CLS	VZ	126	PHL	626	RH*	ADJ	ASA	D	SCC	KD
				BSN MIA	613 622	RHR LH LHR	234 - 2-3/4" 238 - 2-3/8" ADJ - Adjustable 2-3/4"-2-3/8" ADJR - Adjustable 2-3/4"-2-3/8" Radius	ASA - ANSI/ASA (default) FL - Full Lip T - "T" Strike	See Cylinders	See Keyways	KD - Keyed Different KO - Zero Bitted KA - Keyed Alike KE - Keyed to Existing MK - Master Key CMK - Construction Master Key

*Handed but field reversible.

VIZPIN SERVICE	PAGE 3
DOOR/GATE CONTROLLER	PAGE 14
VIDEO INTERCOM	PAGE 15

Strikes

	CODE	DESCRIPTION
	ASA	ASA Strike 1-1/4" x 4-7/8"
	T	T-Strike 1-1/8" x 2-3/4"
	FL	Full Lip Strike 1-5/8" x 2-1/4"

BLUETOOTH ACCESS CONTROL



PHONE



FOB



KEY

Features

- Built from PDQ's World-Class GT Series Grade 1 Cylindrical Lock
- Designed for quick installation; Fits standard 161 door prep
- Built in Bluetooth 4.0 connects to your Bluetooth enabled smart phone or tablet
- Equipped with multi-layer door to cloud data security utilizing AES-128 bit encryption
- Locking function can be changed by an authorized credential holder
- Levers are non-handed
- For doors: 1-3/4" to 2-1/4" thick
- Key override optional
- Key Systems: Compatible with BEST[®], Schlage[®] and most other major manufacturers



EXTERIOR VIEW



INTERIOR VIEW

Lever Designs



PHILADELPHIA – PHL



BOSTON – BSN



MIAMI – MIA

Architectural Finishes



613 (US10B)
Oil Rubbed Bronze




622 (US19)
Flat Black



626 (US26D)
Satin Chromium

Cylinders



FUNCTION	FUNCTION NUMBER	OUTSIDE INSIDE	DESCRIPTION
Entrance	116		<ul style="list-style-type: none"> • Outside lever always locked (factory default). • Outside lever is momentarily unlocked by a valid credential or by key. • Outside lever is relocked after predetermined time as managed by the account manager. • Outside lever can be changed to first-in by the account manager. (Plus only) • Inside lever always retracts the latchbolt and allows unimpeded egress.




How to Order

QTY	SERIES	FAMILY	FUNCTION	LEVER	FINISH	HANDING	BACKSET	STRIKE	CYLINDER	KEYWAY	KEYING
	GTS	VZ	116	PHL	626	RH*	234	ASA	D	SCC	KD
				BSN	613	LH	234 - 2-3/4" (default)	ASA - ANSI/ASA (default) FL - Full Lip T - "T" Strike	See Cylinders	See Keyways	KD - Keyed Different KO - Zero Bitted KA - Keyed Alike KE - Keyed to Existing MK - Master Key CMK - Construction Master Key
				MIA	622						

*Handed but field reversible.

VIZPIN SERVICE	PAGE 3
DOOR/GATE CONTROLLER	PAGE 14
VIDEO INTERCOM	PAGE 15

Strikes

	CODE	DESCRIPTION
	ASA	ASA Strike 1-1/4" x 4-7/8"
	T	T-Strike 1-1/8" x 2-3/4"
	FL	Full Lip Strike 1-5/8" x 2-1/4"

MRS-VZ

Mortise Lock Sectional Trim

Cloud Hosted Access Management Solution

BLUETOOTH ACCESS CONTROL



PHONE



FOB



KEY

Features

- Built from PDQ's World-Class MR Series Grade 1 Mortise Lock
- Designed for quick installation. Fits standard ANSI/BHMA A156.115 Door Prep for Mortise Locks
- Built in Bluetooth 4.0 connects to your Bluetooth enabled smart phone or tablet
- Equipped with multi-layer door to cloud data security utilizing AES-128 bit encryption
- Locking function can be changed by an authorized credential holder
- For doors: 1-3/4" to 2-1/4" thick
- Key override optional
- Key Systems: Compatible with BEST[®], Schlage[®] and most other major manufacturers



Lever Designs



PHILADELPHIA – PHL



BOSTON – BSN



MIAMI – MIA



CHICAGO – CHI



DALLAS – DAL



MEMPHIS – MEM



ORLANDO – ORL



LOS ANGELES – LA

Cylinders



Rose Designs



ROUND ROSE
F-TRIM



SQUARE ROSE (SR)
J-TRIM

Architectural Finishes





613 (US10B)
Oil Rubbed Bronze



622 (US19)
Flat Black



630 (US32D)
Satin Stainless Steel

FUNCTION	FUNCTION NUMBER	OUTSIDE INSIDE	DESCRIPTION
Entrance	116		<ul style="list-style-type: none"> Latchbolt operated by lever from either side Key outside retracts latchbolt. Outside lever is momentarily unlocked by a valid credential. Outside lever is relocked after predetermined time as managed by the account manager. Outside lever can be changed to first-in by the account manager. (Plus only) Inside lever always retracts the latchbolt and allows unimpeded egress.
Dormitory/Exit	136		<ul style="list-style-type: none"> Latchbolt operated by lever from either side Key outside extends/retracts deadbolt Thumbturn inside extends/retracts deadbolt Inside lever simultaneously retracts latchbolt and deadbolt Outside lever is momentarily unlocked by a valid credential Outside lever is relocked after predetermined time as managed by the account manager Outside lever can be changed to first-in by the account manager (Plus only) Inside lever always retracts the latchbolt and allows unimpeded egress.

How to Order

QTY	SERIES	FAMILY	FUNCTION	LEVER	TRIM	FINISH	HANDING	BACKSET	STRIKE	CYLINDER	KEYWAY	KEYING
	MRS	VZ	116	PJ	SJ	630	RH**	234	ASA	See Cylinders	See Keyways	KD
			136	J-TRIM PJ - PHL BJ - BSN MJ - MIA CJ - CHI DJ - DAL HJ - HOU LJ - LA OJ - ORL KJ - K TJ-MEM*	J-TRIM SJ - Sectional Round Rose SR - Sectional Square Rose	613 622	RHR LH LHR	234 - 2-3/4"				KD - Keyed Different KO - Zero Bitted KA - Keyed Alike KE - Keyed to Existing MK - Master Key CMK - Construction Master Key

*MEM specify handing.
**Handed but field reversible. Memphis handed only.

VIZPIN SERVICE	PAGE 3
DOOR/GATE CONTROLLER	PAGE 14
VIDEO INTERCOM	PAGE 15

6WS-VZ

Exit Device Trim

Cloud Hosted Access Management Solution

BLUETOOTH ACCESS CONTROL



PHONE



FOB



KEY



Features

- Built from PDQ's World-Class 6W Series Exit Device Trim
- For use with PDQ's 6300 Series RIM, Surface Vertical Rod and Concealed Vertical Rod Exit Devices
- Built in Bluetooth 4.0 connects to your Bluetooth enabled smart phone or tablet
- Equipped with multi-layer door to cloud data security utilizing AES-128 bit encryption
- Locking function can be changed by an authorized credential holder
- For doors: 1-3/4" to 2-1/4" thick
- Key override optional
- Key Systems: Compatible with BEST[®], Schlage[®] and most other major manufacturers

Cylinders



Lever Designs



PHILADELPHIA – PHL



BOSTON – BSN




CHICAGO – CHI



MIAMI – MIA



ORLANDO – ORL



LOS ANGELES – LA

Architectural Finishes



613 (US10B)
Oil Rubbed Bronze



622 (US19)
Flat Black



626 (US26D)
Satin Chromium



630 (US32D)
Satin Stainless Steel

How to Order

QTY	SERIES	FAMILY	LEVER	TYPE	FINISH	HANDING	CYLINDER	KEYWAY	KEYING
	6WS	VZ	PHL	R	630**	RH***	See Cylinders	See Keyways	KD
			BSN	R - Rim	613	LH			KD - Keyed Different
			CHI	*V - Surface Vertical Rod	622				KO - Zero Bitted
			MIA		626				KA - Keyed Alike
			ORL						KE - Keyed to Existing
			LA						MK - Master Key
									CMK - Construction Master Key

*Consult factory for availability
 **PDQ Finish designations do not indicate base material.
 ***Handed but field reversible.

VIZPIN SERVICE	PAGE 3
DOOR/GATE CONTROLLER	PAGE 14
VIDEO INTERCOM	PAGE 15

Door/Gate Controller

Control access to doors, garages and gates without a network connection. These long-range Bluetooth controllers mount inside away from weather and vandals to keep your property secure.

SPECIFICATIONS	
Power Input	12VDC +/- 10%
Current	20mA
Relay	12-24 VAC/VDC +/- 10% 750mA MAX
IP rating	IP54
Operating Temperature	-40°F to +185°F
Dimensions	108mmx45mmx25mm
Certifications	FCC & CE



DESCRIPTION
VP1 Door/Gate Controller

WIRING CHART	
12VDC	Red
Ground	Black
Relay Output*	Yellow
Relay Input	Blue
Wiegand Data (0)	Green
Wiegand Data (1)	White
Buzz-in (GND)	White/Brown

LED ON VP1	
Red	Normal State Locked
Green	Unlocked
Purple	Updating Settings
White	Power Fault

*Pressing the button during first-in will re-lock device

*Relay configured by Account Manager for Normally Closed/ Normally Open via Portal

** 22AWG wiring recommended

*** vPROX service required for Wiegand Data output

Video Intercom


The Entegrity Smart Video Intercom lets you easily and affordably upgrade every door or gate on your multifamily property to a visitor management system. Now tenants can let their visitors, contractors and delivery people into gates, buildings, package rooms, even their individual units.

How It Works




Step 1

Visitors download Entegrity Smart Intercom App




Step 2

When at the door, they look up the resident



Step 3

Visitor starts a video call with resident



Step 4

Resident lets them in with a push of a button. Anytime, from anywhere.



PDQ Manufacturing

Phone: 717.656.4281

Website: www.pdqlocks.com

Email: help@pdqlocks.com

VIZpin

Phone: 717.327.4244

Email: support@VIZpin.com

Website: www.VIZpin.com

pdqlocks.com

LT7000 1-2023

©PDQ Industries 2023