



powered by **Spirit** 

# **BROCHURE**

## **Table of Contents**

15 Spirit App

3	KMS Deadbolt
4	How to Order
5	CLS Interconnected Lock
6	How to Order
7	SDS Cylindrical Lock
8	How to Order
9	GTS Cylindrical Lock
10	How to Order
11	MRS Mortise Lock
12	How to Order
13	6EWS Exit Device Trim
14	How to Order
16	Spirit Credentials



### Deadbolt

Wireless Locking Solution

#### **ACCESS CONTROL CREDENTIALS**



#### **Features**

- Built from PDQ's KM Series Heavy Duty Deadbolt
- Designed for quick installation
- 4 AA Alkaline batteries last up to 2 years or 5V DC
- · Able to schedule specific access windows
- · Log and track access events and status
- Monitors and protects openings with door obstruction alerts
- Battery status and low battery alerts

#### Specifications





	ADA COMPLIANT
DOOR THICKNESS:	• 1-3/8" to 1-3/4"
BACKSET:	• 2-3/8" - 2-3/4" (Adjustable)
CREDENTIALS:	• RFID • Smartphone • PIN • Mechanical Key
KEYWAYS:	Conventional • SFIC • High Security • UL437
CREDENTIAL COMPATIBILITIES:	Prox (Optional) • MIFARE DESFire EV1/EV2/EV3/Light  MIFARE Ultralight EV1/AES • MIFARE Classic
COMMUNICATION:	•BLE 4.2 •BLE 5.2
ENCRYPTION:	• AES 256
BATTERIES REQUIRED:	• 4 AA Alkaline Batteries
OPERATING TEMPERATURES:	• -20C to 65C • 0-95% Humidity (Non-Condensing)
CERTIFICATIONS & COMPLIANCES:	• FCC Part 15 • UL/cUL 10C 20-Minutes • Complies with ADA (Americans with Disabilities Act)
MODES:	• Standalone • Online
FINISHES:	• 606 (US4), 613E, 622 (US19), 626 (US26D)
WARRANTY:	• Two (2) year Mechanical / Two (2) year Electronics
COUNTRY OF ORIGIN:	Assembled in USA





**EXTERIOR VIEW** 



INTERIOR VIEW

#### **Cylinders**







622 (US19) Flat Black

626 (US26D) Satin Chromium



# KMS-SP HEAVY DUTY DEADBOLT — BROCHURE

Z-3/4" - 2-3/8"  KA - Keyed Alik  KE - Keyed to Existing  MK - Master Ke  CMK - Construction	QTY	SERIES	FAMILY	CREDENTIAL	FUNCTION	FINISH	BACKSET	CYLINDER	KEYWAY	KEYING
N - Card NK - Card + Keypad  613E 622 626  ADJ - Adjustable from 2-3/4" - 2-3/8"  See Cylinders  See Keyways  KD - Keyed Different KO - Zero Bitte KA - Keyed Alik KE - Keyed to Existing MK - Master Keyed CMK - Construction		KMS	SP	N	116	626	ADJ	D	SCC	KD
KE - Keyed to Existing MK - Master Kr CMK - Construction				NK - Card +		613E 622	from		See Keyways	
CMK - Construction										to Existing
inacta tej										CMK -



# **CLS-SP**

#### Interconnected

#### Wireless Locking Solution

#### **ACCESS CONTROL CREDENTIALS**



#### **Features**


- Built from PDQ's CL Series Interconnected Lock
- Designed for quick installation
- 4 AA Alkaline batteries last up to 2 years or 5V DC
- · Able to schedule specific access windows
- · Log and track access events and status
- Monitors and protects openings with door obstruction alerts
- · Battery status and low battery alerts





**EXTERIOR VIEW** 

#### **Specifications**



### Cylinders



#### Levers





PHILADELPHIA - PHL

BOSTON - BSN





MIAMI – MIA

ORLANDO - ORL



622 (US19) Flat Black

626 (US26D) Satin Chromium



# CLS-SP INTERCONNECTED LOCK — BROCHURE

#### **How to Order**

QTY	SERIES	FAMILY	CREDENTIAL	FUNCTION	LEVER	FINISH	BACKSET	STRIKE	CYLINDER	KEYWAY	KEYING
	CLS	SP	N	126	PHL	626	ADJ	ASA	D	SCC	KD
			<b>N</b> - Card <b>NK</b> - Card + Keypad		BSN MIA ORL PHL	606 613E 622 626	<b>ADJ</b> - Adjustable from	ASA - ANSI/ASA (standard) FL - Full Lip T - "T" Strike	See Cylinders	See Keyways	KD - Keyed Different KO - Zero Bitted KA - Keyed Alike KE - Keyed to Existing
											MK - Master Key CMK - Construction Master Key

#### **Strikes**

CODE	DESCRIPTION
ASA	ASA Strike 1-1/4" x 4-7/8"
Т	T-Strike 1-1/8" x 2-3/4"
FL	Full Lip Strike 1-5/8" x 2-1/4"



# SDS-SP

## Cylindrical Lock

UL) CERTIFIED

#### Wireless Locking Solution

#### **ACCESS CONTROL CREDENTIALS**



#### **Features**

- Built from PDQ's SD Series Grade 2 Cylindrical Lock
- Designed for quick installation
- 4 AA Alkaline batteries last up to 2 years or 5V DC
- · Able to schedule specific access windows
- · Log and track access events and status
- Enable auto lock/unlock for enhanced security
- · Battery status and low battery alerts



**EXTERIOR VIEW** 

#### **Cylinders**











PHILADELPHIA - PHL

BOSTON - BSN





MIAMI - MIA

MEMPHIS - MEM \*Not available for SFIC\*



ORLANDO - ORL

#### **Specifications**

DOOR THICKNESS:	• 1-3/8" to 1-3/4"
BACKSET:	• 2-3/8" • 2-3/4" (Standard) • 5"
CREDENTIALS:	• RFID • Smartphone • PIN • Mechanical Key
KEYWAYS:	Conventional • SFIC • High Security • UL437
CREDENTIAL COMPATIBILITIES:	Prox (Optional) • MIFARE DESFire EV1/EV2/EV3/Light  MIFARE Ultralight EV1/AES • MIFARE Classic
COMMUNICATION:	•BLE 4.2 •BLE 5.2
ENCRYPTION:	• AES 256
BATTERIES REQUIRED:	• 4 AA Alkaline Batteries
OPERATING TEMPERATURES:	• -20C to 65C • 0-95% Humidity (Non-Condensing)
CERTIFICATIONS & COMPLIANCES:	• FCC Part 15 • UL/cUL 10C 20-Minutes • Complies with ADA (Americans with Disabilities Act)
MODES:	• Standalone • Online
FINISHES:	• 606 (US4), 613E, 622 (US19), 626 (US26D)
WARRANTY:	• Two (2) year Mechanical / Two (2) year Electronics
COUNTRY OF ORIGIN:	Assembled in USA





622 (US19) Flat Black

626 (US26D) Satin Chromium

QTY	SERIES	FAMILY	CREDENTIAL	FUNCTION	LEVER	FINISH	HANDING	BACKSET	STRIKE	CYLINDER	KEYWAY	KEYING
	SDS	SP	N	116	PHL	626	RH*	234	ASA	D	scc	KD
			N - Card NK - Card + Keypad		BSN MIA MEM ORL PHL	606 613E 622 626		2-3/4" (standard) 238 - 2-3/8" 5 - 5"	ASA - ANSI/ASA (standard)			KD - Keyed Differer KO - Zero Bitted KA - Keyed Alike
									<b>FL</b> - Full Lip	See Cylinders		<b>KE</b> - Keyed to Existing
									<b>T</b> - "T" Strike			MK - Master Key
St	trikes											CMK - Constructio Master Key

CODE	DESCRIPTION
ASA	ASA Strike 1-1/4" x 4-7/8"
Т	T-Strike 1-1/8" x 2-3/4"
FL	Full Lip Strike 1-5/8" x 2-1/4"

# **GTS-SP**

### Cylindrical Lock

#### Wireless Locking Solution


#### **ACCESS CONTROL CREDENTIALS**



#### **Features**

- Built from PDQ's World-Class GT Series Grade 1 Cylindrical Lock
- · Designed for quick installation
- 4 AA Alkaline batteries last up to 2 years or 5V DC
- · Able to schedule specific access windows
- · Log and track access events and status
- Enable auto lock/unlock for enhanced security
- · Battery status and low battery alerts
- · Local-activated lockdown for instant door security
- Do not disturb mode that temporarily blocks access
- · Monitor egress with request to exit function

# **Specifications**





**EXTERIOR VIEW** 



INTERIOR VIEW

#### **Cylinders**



Levers







PHILADELPHIA - PHL BOSTON - BSN

MIAMI – MIA





GTS *Handed but fie	SP	N - Card NK - Card + Keypad	116	BSN MIA PHL	626 606 613E 622	RH*	234 2-3/4" (standard)	ASA	D	SCC	KD KD
*Handed but fie	eld reversibl	<b>NK -</b> Card + Keypad		MIA	613E 622	LH					
"Handed but He	iu reversibi				626		"				KD - Keyed Differen
		е.						ASA - ANSI/ASA (standard)	See Cylinders		KO - Zero Bitted  KA - Keyed Alike  KE - Keyed
								T - "T" Strike			to Existing  MK - Master Key  CMK - Constructio

CODE	DESCRIPTION
ASA	ASA Strike 1-1/4" x 4-7/8"
Т	T-Strike 1-1/8" x 2-3/4"
FL	Full Lip Strike 1-5/8" x 2-1/4"



# **MRS-SP**

### Mortise Lock Sectional Trim

Wireless Locking Solution

#### **ACCESS CONTROL CREDENTIALS**





#### **Features**

- Built from PDQ's World-Class MR Series Grade 1 Mortise Lock
- Designed for quick installation
- 4 AA Alkaline batteries last up to 2 years or 5V DC
- · Able to schedule specific access windows
- · Log and track access events and status
- Enable auto lock/unlock for enhanced security
- · Battery status and low battery alerts
- Do not disturb mode that temporarily blocks access
- Key override lets you know when the key has been used
- · Latchbolt monitor lets you know when the lock has been used
- Monitor egress with request to exit function







**EXTERIOR VIEW** 

#### **Cylinders**







#### **Rose Designs**





ROUND ROSE J-TRIM

SQUARE ROSE (SR) J-TRIM

#### Levers







PHILADELPHIA - PHL

BOSTON - BSN

CHICAGO - CHI







MIAMI - MIA

MEMPHIS - MEM

DALLAS - DAL





ORLANDO - ORL

LOS ANGELES - LA

#### **Architectural Finishes**





Bronze (Equivalent)

622 (US19)

Flat Black

630 (US32D) **Bright Chromium** 

#### **Specifications**

DOOR THICKNESS:	• 1-3/4" (Standard) • 2" • 2-1/4" (Optional)
CREDENTIALS:	• RFID • Smartphone • PIN • Mechanical Key
KEYWAYS:	Conventional • SFIC • LFIC • High Security • UL437
CREDENTIAL COMPATIBILITIES:	Prox (Optional) • MIFARE DESFire EV1/EV2/EV3/Light  MIFARE Ultralight EV1/AES • MIFARE Classic
COMMUNICATION:	•BLE 4.2 •BLE 5.2
ENCRYPTION:	• AES 256
BATTERIES REQUIRED:	• 4 AA Alkaline Batteries
OPERATING TEMPERATURES:	• -20C to 65C • 0-95% Humidity (Non-Condensing)
CERTIFICATIONS & COMPLIANCES:	• FCC Part 15 • UL/cUL 10C 3-Hour • Complies with ADA (Americans with Disabilities Act)
MODES:	• Standalone • Online
FINISHES:	• 606 (US4), 613E, 622 (US19), 630 (US32D)
WARRANTY:	Limited Lifetime Mechanical / Two (2) year Electronics
COUNTRY OF ORIGIN:	Assembled in USA

FUNCTION NUMBER	OUTSIDE   INSIDE	DESCRIPTION
116		Key outside retracts latchbolt     Inside lever retracts latchbolt     Supports lock modes (Normal, Apartment)
136		Key outside extends/retracts deadbolt     Thumbturn inside extends/retracts deadbolt (Privacy)     Inside lever retracts deadbolt and latchbolt     Supports lock modes (Normal, Apartment, Privacy)
146		Key outside retracts thumbturn and latchbolt     Thumbturn inside (Privacy)     Inside lever retracts thumbturn and latchbolt     Supports lock modes (Normal, Apartment, Privacy)
147		Key outside retracts thumbturn and latchbolt     Thumbturn inside (Passage)     Inside lever retracts latchbolt     Supports lock modes (Normal, Passage)

QTY	SERIES	FAMILY	CREDENTIAL	FUNCTION	LEVER	TRIM	FINISH	HANDING	BACKSET	STRIKE	CYLINDER	KEYWAY	KEYING
	MRS	SP	N	116	PJ	SJ	630	RH**	234	ASA	See Cylinders	See Keyways	KD
			N - Card NK - Card + Keypad	116 136 146 147	J-TRIM	J-TRIM	M 606 613E RI		<b>234</b> - 2-3/4"			<b>KD -</b> Keyed Different <b>KO -</b> Zero	
					PJ - PHL	SJ -	622 - 630	LH					Bitted <b>KA</b> - Keyed
					BJ - BSN	Sectional		LHR					Alike
					MJ - MIA	Round Rose		]					KE - Keyed to Existing
					CJ - CHI								MK - Master
					DJ - DAL	SR -							Key
					<b>0J -</b> ORL	Sectional Square							CMK - Construction
					LJ - LA	Rose							Master Key
					TJ-MEM*		*MEM specify handing.						
**Handed but field reversible. Memphis handed only.													



# **6EWS-SP**

### **Exit Device Trim**

#### Wireless Locking Solution

#### **ACCESS CONTROL CREDENTIALS**



#### **Features**

- Built from PDQ's World-Class 6W Series Exit Device Trim
- For use with PDQ's 6300 Series RIM and Surface Vertical Rod
- 4 AA Alkaline batteries last up to 2 years or 5V DC
- Able to schedule specific access windows
- · Log and track access events and status
- Enable auto lock/unlock for enhanced security
- Battery status and low battery alerts





#### **Specifications**

<u>- opeomoutiono</u>	ADA COMPLIANT					
DOOR THICKNESS:	• 1-3/4" to 2-1/4"					
CREDENTIALS:	• RFID • Smartphone • PIN • Mechanical Key					
KEYWAYS:	Conventional • SFIC • LFIC • High Security • UL437					
CREDENTIAL COMPATIBILITIES:	Prox (Optional) • MIFARE DESFire EV1/EV2/EV3/Light  MIFARE Ultralight EV1/AES • MIFARE Classic					
COMMUNICATION:	•BLE 4.2 •BLE 5.2					
ENCRYPTION:	• AES 256					
BATTERIES REQUIRED:	• 4 AA Alkaline Batteries					
OPERATING TEMPERATURES:	• -20C to 65C • 0-95% Humidity (Non-Condensing)					
CERTIFICATIONS & COMPLIANCES:	FCC Part 15     UL/cUL 10C 3-Hour     Complies with ADA (Americans with Disabilities Act)					
MODES:	· Standalone · Online					
FINISHES:	• 606 (US4), 613E, 622 (US19), 626 (US26D)					
WARRANTY:	• Two (2) year Mechanical / Two (2) year Electronics					
COUNTRY OF ORIGIN:	Assembled in USA					



**EXTERIOR VIEW** 



#### Levers



PHILADELPHIA - PHL BOSTON - BSN









QTY	SERIES	FAMILY	CREDENTIAL	LEVER	ТҮРЕ	FINISH	HANDING	CYLINDER	KEYWAY	KEYING	OPTIONS
	6EWS	SP	N	PHL	R	613E	RH*	See Cylinders	See Keyways	KD	
*PDQ	ed but field re Finish designa te base mater	ations do not	N - Card NK - Card + Keypad	МΙΔ	R - Rim V - Surface Vertical Rod	606 613E 622 626	LH RH			KD - Keyed Different KO - Zero Bitted KA - Keyed Alike KE - Keyed to Existing MK - Master Key CMK - Construction Master Key	VD1 PR1 YC1 DK1 HG1

CODE	DESCRIPTION
VD1	6EWS Trim adapted to fit existing Von Duprin 98/99 device
PR1	6EWS Trim adapted to fit existing Precision 2100 device
YC1	6EWS Trim adapted to fit existing Yale 7000 or Corbin Russwin ED5000 device
DK1	6EWS Trim adapted to fit existing Dorma 9300 device
HG1	6EWS Trim for Hager 4500 series / PDQ 6200 series



# **SPIRIT CREDENTIALS**



### **Specifications**

PART #	PART # TECHNOLOGY		COLORS / GRAPHICS	MOQ
9010	Mifare Classic 1k	Card	PDQ Graphic	10
9020-Blue	Mifare Classic 1k	Fob	Blue	10




# PDQ SPIRIT APP


#### **Features**

The Spirit App is your ideal solution for bluetooth based access control. You can now easily control all Spirit door hardware from your phone! The app is available for free for iOS devices.

#### Here are some key features:

- View an activity log of user access and device status
- Add / manage multiple Spirit devices in one place
- Set your ideal locking mode (normal operation, passage, privacy, or apartment)
- · See your connection status and how it's connected
- Add users and guests with card, pin, and mobile access
- · Receive notifications when battery levels are low
- Update lock software
- \* Maximum of 25 locks and 50 users \*









PDQ Manufacturing Phone: 717.656.4281

**Website:** www.pdqlocks.com **Email:** help@pdqlocks.com

pdqlocks.com

11-2024

©PDQ Industries 2024